

Vaping

Last updated: **October 24, 2024**

Introduction

Vapour products and other electronic cigarettes may cause health risks to users through exposure to vapour/aerosols. Even if you do not use the products, you can be exposed through inhaling the vapours from other people using the products. While legal for sale in B.C. to anyone over the age of 19, vapour products and other electronic cigarettes are not harmless. Children, youth and non-smokers should not use them, and they should not be used during pregnancy.

What is vaping?

Vaping is inhaling aerosol or vapour produced by devices like electronic cigarettes. These devices heat liquid into an aerosol that the user inhales into the mouth and lungs, where it is absorbed into the bloodstream. There are different kinds of vaping devices such as e-cigarettes, vape pens, vapes, mods, tanks or e-hookahs. As per Health Canada, "Vegetable glycerin and propylene glycol are the main liquids in vaping products. These are considered safe for use in many consumer products such as cosmetics and sweeteners. However, the long-term safety of inhaling the substances in vaping products is unknown and continues to be assessed."

For more information on vaping in Canada visit:

- [About vaping \(Health Canada\)](#)
- [Vaping \(Government of B.C.\)](#)
- [Risks of vaping \(Health Canada\)](#)
- [Learn about vaping \(QuitNow BC\)](#)
- [Vaping in Canada: What we know \(Health Canada\)](#)
- [Vaping and quitting smoking \(Health Canada\)](#)
- [Vaping product regulations \(Health Canada\)](#)

For existing smokers, vaping is less harmful than smoking cigarettes but vaping still exposes users to chemicals that can cause lung damage. Vaping could also expose users to nicotine, which is highly addictive. Children, youth and non-smokers are at high risk of harmful effects of nicotine, including addiction. You are also at high risk if you are

pregnant. Children and youth may become dependent on nicotine with lower levels of exposure than adults. The long-term health impact of vaping is largely unknown.

Cannabis can also be vaped and should not be consumed in combination with nicotine, alcohol, other drugs or health products. This can increase impairment and the risk of other adverse effects.

For more information on the potential health issues related to vaping, visit:

- [Cannabis](#)
- [Talking with your teen about vaping \(PDF, 413KB, Government of Canada\)](#)
- [Vaping associated lung illness \(Government of Canada\)](#)
- [Statement from the Council of Chief Medical Officers of Health on vaping in Canada \(Public Health Agency of Canada\)](#)
- [Vaping products \(Fraser Health Authority\)](#)
- [Health info for adults \(Government of B.C.\)](#)
- [Health info for youth \(Government of B.C.\)](#)

Youth and vaping

Open and honest dialogue with your children and family about issues like substance use can help build positive connections and enhance resilience. Refer to these links for advice on having conversations with your family.

- [Consider the consequences of vaping \(Health Canada\)](#)
- [Talking with your teen about vaping: A tip sheet for parents \(Health Canada\)](#)
- [Youth supports to quit or cut back \(Government of B.C.\)](#)
- [Talking to teens about vaping \(Government of B.C.\)](#)
- [Vaping fact sheets \(Vancouver School Board\)](#)

Laws and regulations on the use of vapour products in British Columbia

In B.C., vapour products are regulated in the same way as tobacco products. Tobacco and vapour products cannot be sold to minors or promoted publicly. They cannot be used in public buildings and workplaces, near doorways or air intakes of public buildings, or on school property. For more information on the current vaping legislation in B.C., visit the [Requirements under the Tobacco and Vapour Products Control Act and Regulation \(Government of British Columbia\)](#). In B.C., the legal age to buy vaping products is 19 years of age.

For more information about the laws and regulations visit:

- [Laws and regulations \(Government of B.C.\)](#)
- [Tobacco and vapour free places \(Government of B.C.\)](#)

- [Regulating tobacco and vaping products: Tobacco products regulations \(Government of Canada\)](#)
- [Legislation \(Government of B.C.\)](#)

Vaping-related illness

A growing number of people in North America have developed a severe form of lung distress from vaping. This condition has resulted in several deaths and many hospitalizations.

Visit [BC vaping information](#) to learn more.

If you smoke or vape, remember to maintain a safe physical distance. Stay at least two metres (six feet) apart if smoking or vaping in a group. Smoke or vape outside instead of inside.

Quitting vaping and smoking

Quitting tobacco smoking can be difficult, but many people are able to reduce the amount they smoke or quit completely. While vaping products and e-cigarettes deliver nicotine in a less harmful way than smoking cigarettes, they are not harmless. These products may reduce health risks for smokers who can't or don't want to quit using nicotine, but only if the user switches completely. For tips on how to quit smoking, and how to deal with temptations and cravings, click on the links below.

- [Quitting smoking \(HealthLinkBC File #30c\)](#)
- [Quit or reduce vaping \(HealthLinkBC File #30d\)](#)
- [Quitting smoking: Getting support](#)
- [Quitting smoking: Preventing slips or relapses](#)
- [Quitting smoking: Temptations and cravings](#)
- [Risks of alternative tobacco and nicotine products \(HealthLinkBC File #30b\)](#)
- [Vaping and quitting smoking \(Government of B.C.\)](#)

Programs to help quit or reduce nicotine

QuitNow is the free, quit smoking program of the Government of British Columbia. The BC Lung Association delivers it online at [QuitNow](#). It provides free one-on-one coaching by phone, chat or text to help you quit. QuitNow also provides planning tools, supportive text messaging tips and an active social media community where you can get inspiration from fellow quitters.

The PharmaCare BC Smoking Cessation Program helps eligible B.C. residents who wish to stop smoking or using other tobacco products by helping with the cost of smoking cessation prescription drugs or nicotine replacement therapy products. Visit [Get help quitting tobacco](#) for more information about the program.

Alcohol and drug information and referral services

The Alcohol & Drug Information Referral Service (ADIRS) provides free, confidential information and referral services to British Columbians in need of support with any kind of substance use

issue (alcohol or other drugs). Referral to community substance use treatment services is available for all ages.

Contact ADIRS toll-free at 1-800-663-1441, or in the lower mainland at 604-660-9382. Free, multilingual telephone help is available 24 hours a day, 7 days a week.

For more HealthLinkBC File topics, visit www.HealthLinkBC.ca/more/resources/healthlink-bc-files or your local public health unit. For non-emergency health information and advice in B.C., visit www.HealthLinkBC.ca or call **8-1-1** (toll-free). For the deaf and hard of hearing, call **7-1-1**. Translation services are available in more than 130 languages on request.